

AGRICULTURE



EQUESTRIAN



GAMEKEEPING



FORESTRY



GROUNDCARE



WINTER MAINTENANCE



PRICE LIST

8th November 2024



INDEX



OFF ROAD TRAILERS	1-2
ROAD LEGAL TRAILERS	
GRASS/GROUNDCARE	4-5
CONTACT 2000 WEED WIPERS	6
ON BOARD SPRAYERS/ ELECTRO BROADCASTERS	7-8
SYSTEM 40 CHASSIS	9
SYSTEM 20 for ATVs & UTVs	10-11
TRAILED SPRAYERS/SPREADERS	12
SALT/DE-ICING SPREADERS	13
FEEDERS	14
BOWSERS	15
FORESTRY EQUIPMENT	15
ACCESSORIES	16-19

Check the spec!
To comply with H.S.E. recommendations all Logic trailed equipment is now fitted with Swivel Hitch and Bead Lock Rims for added safety

NOTE: Due to continuous product development, Logic reserves the right to alter specification and/or prices without prior notice.

NORTH & EXPORT LOGIC MANUFACTURING LTD Foundry Industrial Estate Bridge End Hexham Northumberland NE46 4JL

Tel: 01434 606661

E mail: sales@LogicToday.co.uk

SOUTH LOGIC MH LTD New Whiteway Works Fossecross Industrial Estate Chedworth, Cheltenham, Gloucestershire GL54 4NW

Tel: 01285 720930

E mail: sales@LogicToday.co.uk

OFF ROAD TRAILERS



OFF ROA Part No.	AD TRAILERS	Price
ran No.	UNI-BUILT TRAILERS BODY SIZE 1.5m x 1.0m HIGH	FIIC
UET400	Trailer base unit (inc 0.10m High sides, 22 x 11 -8 flotation wheels, no tailgate)	815.0
DLITUU	Other options available including high sides	015.0
	OPTIONS	
STT120	Wheel Guard - Bolt on deflector skids to guard wheels (priced each side)	40.0
711120	STT TRAILERS BODY SIZE 1.5m x 1.0m x 0.38m HIGH	70.0
STT300	Low sided without tailgate - 165 x 8 wheels	940.0
STT400	Low sided without tailgate - 22 x 11 -8 flotation wheels	1070.00
STT403	Low sided c/w standard STT103 tailgate -22 x 11 -8 flotation wheels	1160.00
711 100	OPTIONS	1100.00
STT103	Tailgate, standard 0.38m high	94.00
STT104E	Tailgate, extended 0.8m high	160.00
STT108E	Half mesh/half side hinged door, ramp tailgate	252.00
STT100L STT101	Headboard, extended weld mesh	143.00
STT105	Headboard, extended galvanised sheet	128.00
STT102	Sides, extended (pair) to give 0.8m total height.	225.00
STT102 STT106E	Mesh dividing gate kit (for STT Trailer with extension sides fitted)	110.00
STT120	Wheel Guard - Bolt on deflector skids to guard wheels (Priced each side)	40.00
MGXXX	Mudguard kit, to fit STT/SST Trailer (Priced each side)	50.00
MO/W	SST TRAILERS Fitted with alloy treadplale floors (wood floor option available)	50.00
	BODY SIZE 1.5m x 1.0m x 0.87m HIGH	
SST404TP	High Sided including ramp tailgate, 22 x 11 -8 flotation wheels	1475.00
SST407TP	As above but with side hinged mesh rear gate.	1455.00
SST408TP	As above but with half mesh/half side hinged door, ramp tailgate	1565.00
251 10011	BODY SIZE 1.8m x 1.0m x 0.8m HIGH	1303.00
SST454TP	High sided including ramp tailgate, 22 x 11 -8 flotation wheels	1705.00
SST457TP	As above but with side hinged mesh rear gate	1685.00
SST458TP	As above but with half mesh/half side hinged door, ramp tailgate	1795.00
SST854TP	High sided including ramp tailgate, 25 x 1 0 - 12 flotation wheels	1920.00
SST857TP	As above but with side hinged mesh rear gate	1900.00
SST858TP	As above but with half mesh/half side hinged door ramp tailgate	2010.00
SST454TATP	High sided including ramp tailgate, tandem axle, 22 x 11 -8 flotation wheels	2510.00
SST457TATP	As above but with side hinged mesh rear gate	2490.00
SST458TATP	As above but with half mesh/half side hinged door, ramp tailgate	2600.00
	OPTIONS	
STT106	Mesh dividing gate kit	110.00
STT120	Wheel Guard - Bolt on deflector skids to guard wheels (Priced each side)	40.00
MGXXX	Mudguard kit, to fit STT/S ST Trailer (Priced each side)	50.00
	SMT TRAILERS BODY SIZE 1.5m x 1.16m x 0.5m HIGH	
SMT120	General purpose trailer, step sided, 22 x 11 -8 flotation wheels.	1570.00
	SDT TRAILERS BODY SIZE 1.5m x 1.0m x 0.4m HIGH	
SDT400	Standard Dump trailer - 22 x 11 - 8 flotation wheels	1535.00
SΠ120	Wheel Guard - Bolt on deflector skids to guard wheels (priced each side)	40.00

Note: Turf Tyre option available

OFF ROAD TRAILERS



Part No.	IRAILERS	Price
Tull No.	TST TRAILERS	1110
	BODY SIZE 1.5m x 1.0m x 0.5m HIGH	
TST400	Low sided Tipping Trailer - including tailgate and 22 x 11 - 8 flotation wheels OPTIONS	1730.00
RT710-01	Jockey wheel	45.00
RT710-02	Prop stand c/w clamp (priced each side)	25.00
STT120	Wheel Guard - Bolt on deflector skids to guard wheels (priced each side)	40.00
	TGT TRAILERS	
	BODY SIZE 1.5m x 1.0m x 0.8m HIGH	
TGT400	High sided tipping trailer - including tailgate and 22 x 11 - 8 flotation wheels	1900.00
	OPTIONS	
RT710-01	Jockey wheel	45.00
RT710-02	Prop stand c/w clamp (priced each side)	25.00
STT120	Wheel Guard - Bolt on deflector skids to guard wheels (priced each side)	40.00
	OXR TRAILERS	
OVD 400	BODY SIZE 2.25m x 1.31m x 0.3m HIGH	1/05.00
OXR400	Low sided without tailgate - 22 x 11 - 8 flotation wheels	1635.00
0XR800	Low sided without tailgate - 25 x 10 - 12 flotation wheels	1875.00
OXR400TA	Low sided without tailgate - tandem axle and 4 off 22 x 11 - 8 flotation wheels OPTIONS	2460.00
XT103	Standard metal tailgate 0.3m high	200.00
XT106	Mesh ramp tailgate	340.00
XT108	Ext ramp tailgate c/w stock gate	300.00
XT116	Metal loading ramp/tailgate	395.00
XT101	Ladder rack	86.00
XT105	Ext panel headboard panel 0.9m	160.00
XT202	Ext mesh sides, hinged, to give 0.9m total height	500.00
XT205	Ext panel sides, fixed to give 0.9m total height	285.00
XRT109	Divider gate	180.00
XT109-10A	Catch plate required to use XRT109 above on XT202 mesh sides	11.00
	DST TRAILERS BODY SIZE 1.97m x 1.4m	
DST400	Flat bed trailer - 22 x 11 - 8 flotation wheels	1675.00
DST800	Flat bed trailer - 25 x 1 0 - 12 flotation wheels	1895.00
	OPTIONS	
DST103	Drop side kit, standard, 0.3m high	590.00
DST104	Extended hinged sides and tailgate to suit DST	P.O.A
	LBT TRAILERS	
LBT100	Logic Bale Carrier (max load 600kg)	2040.00
	GBT GAS BOTTLE TRAILERS	
GBT500	Trailer to carry 4x 47kg bottles. Tongue hitch and 22 x 11 - 8 flotation wheels	2095.00
GBT501	As above with 50mm swivel coupling	2140.00
GBT502	As above with 50mm non-swivel coupling	2115.00

Note: Turf Tyre option available - Alloy Treadplate option available on most models

ROAD LEGAL TRAILERS



Part No.		Price
	XRT TRAILERS BODY SIZE 2.25m x 1.31m x 0.3m HIGH (750KG Gross)	
XRT610E	Low sided without tailgate - c/w lights (7 Pin Plug) and 20.5 x 8 - 10 wheels and tyres	2060.00
XRT630	Low sided without tailgate - c/w lights (7 Pin Plug) and 165 x 13 wheels and tyres	2060.00
XRT740	Low sided without tailgate - c/w lights (7 Pin Plug) and 195 x 60 - R14 wheels and tyres (to give good off road performance)	2130.00
XRT740B	Braked model - as above c/w overrun brakes, 1000kg Gross. 13 Pin electrics with adaptor supplied to reduce to 7 Pin	2655.00
	OPTIONS For XRT Trailers	
XT103	Standard metal tailgate 0.3m high	200.00
XT106	Mesh ramp tailgate	340.00
XT108	Ext ramp tailgate c/w stock gate	300.00
XT116	Metal loading ramp/tailgate	395.00
XT101	Ladder rack	86.00
XT105	Ext panel headboard panel 0.9m	160.00
XT202	Ext mesh sides, hinged, to give 0.9m total height	500.00
XT202-10A	Support Wire Kit for XT202 ext mesh sides	55.00
XT205	Ext panel sides, fixed to give 0.9m total height	285.00
XRT109	Divider gate	180.00
XT109-10A	Catch plate required to use XRT109 above on XT202 mesh sides	11.00
WT811	Flotation wheel 25 x 1 0 - 12, off road use only, for above trailers (priced each)	240.00
RT710-01	Jockey wheel	45.00
RT710-02	Prop stand c/w clamp (priced each side)	25.00
KIT IO OL	SPARE WHEELS/MOUNTING BRACKETS - For XRT Trailers	23.00
WT610	Spare wheel for XRT610E, 20.5 x 8 - 10	110.00
WT630	Spare wheel for XRT630, 165 x 13	90.00
WT740	Spare wheel for XRT740, XRT740B, 195 x 60 - R14	120.00
WB103	Spare wheel mounting bracket to fit spare wheel to trailer	80.00
110100	LOCKING COUPLING	00.00
	*Product No + L security coupling with lock - additional cost to trailer	110.00
	SXR BEAVERTAIL TRANSPORT TRAILER BODY SIZE 2.995m x 1.5m x 0.3m High (1300KG Gross)	
SXR726BT	Beavertail trailer for transport of ATVs, Small UTVs, Golf Cars and Ride on Mowers Loading ramp, overrun brakes, lights (13 pin electrics with adaptor supplied to reduce to 7 pin), jockey wheel, rear prop stands and 195 x 70 - R 14 wheels and tyres.	4195.00
	SPARE WHEEL	
WB103	Wheel mounting bracket to fit spare wheel to trailer	80.00
WT760	Spare wheel for SXR trailer 195 x 70 - R 14	160.00
	VT TRANSPORTER TRAILER BODY SIZE 2.995m x 1.750m x 0.3m High (1300KG Gross)	
VT726	UTV Transporter trailer - H/D loading ramp, overrun brakes, lights, (13 Pin electrics with adaptor supplied to reduce to 7 Pin), jockey wheel, rear prop stands and 195 x 70 - R14 wheels and tyres.	4360.00
	OPTIONS	
VT105	Ext panel headboard panel to give 0.9m total height	P.O.A.
VT202	Ext mesh sides, hinged, to give 0.9m total height	P.O.A.
VT205	Ext panel sides, fixed to give 0.9m total height	P.O.A.
WT811	Flotation wheel 25 x 10 - 12, off road use only, for above trailers (priced each)	240.00
WBXXX	Wheel mounting bracket to mount flotation wheels to side of trailer	P.O.A.
110/04(SPARE WHEELS	1.0.4.
WB103	Wheel mounting bracket to fit spare wheel to trailer	80.00
WT 760	Spare wheel for VT trailer 195 x 70 - R14	160.00
**1 /00	Spare wheelf of a finding 1/3 x / 0 - 1/17	100.00

Note: Alloy Treadplate floor option available

GRASS/GROUNDCARE



Part No.		Price
	MFP FLAIL MOWERS	
	1.2m MODELS (Quick Offset Drawbar)	
	Wheels alongside with:	
MFP320B16	16hp Briggs & Stratton 'V' Twin engine	6105.00
	Wheels behind with:	
MFP320B16R	16hp Briggs & Stratton 'V' Twin engine	6340.00
	1.5m MODELS (Quick Offset Drawbar)	
	Wheels alongside with:	
MFP350B18	18hp Briggs & Stratton 'V' Twin engine	6485.00
	MFT FLAIL MOWERS - SCRUB BUSTER RANGE	
	1.0m MODELS (Quick Offset Drawbar)	
	Wheels alongside with:	
MFT100B18	18hp Briggs & Stratton 'V' Twin engine	6505.00
	Wheels behind with:	
MFT100B18R	18hp Briggs & Stratton 'V' Twin engine	6705.00
	1.2m MODELS (Quick Offset Drawbar)	
	Wheels alongside with:	
MFT120B18	18hp Briggs & Stratton 'V' Twin engine	6625.00
	Wheels behind with:	
MFT120B18R	18hp Briggs & Stratton 'V' Twin engine	6805.00
THE FIED TOR	OPTIONS	0003.00
PROD No + FW	Flotation wheels 22 x 11 – 8 (available on wheels alongside mowers only)	200.00
PROD No + ES	Electric Start	480.00
TROD NO LS	Fine grass blades (MFP Models only) to give good quality lawn finish (factory fitted) at additional cost to above	100.00
PROD No + X	1.2M+	60.00
י טוו עטא ז	1.5M+	65.00
		03.00
	TRAILED ROTARY MOWER	
TRM120B12FW	1.2m Cut, 12.5hp Briggs & Stratton engine, remote throttle control & with flotation wheels 20 x 7 – 8	3715.00
TRM120B13FWES	1.2m Cut, 13hp Briggs & Stratton engine, with electric start. Deck mounted control panel with key start and throttle control (12v battery included) fitted with flotation wheels 20 x 7 – 8	4350.00
TRM120H13FW	1.2m Cut, 13hp Honda engine, remote throttle control & flotation wheels 20 x 7 – 8	3935.00
TRM120H13FWES	As above with electric start engine	4475.00
TRM150B16FW	1.5m Cut, 16hp Briggs & Stratton engine, remote throttle control with flotation wheels 20 x 7 – 8	4710.00
TRM150B16FWES	1.5m Cut, 16hp Briggs & Stratton engine with electric start. Deck mounted control panel with key start and throttle control (12v battery included) fitted with flotation wheels 20 x 7 – 8	5195.00

GRASS/GROUNDCARE



	Price
BALLAST ROLLERS	
1.5m (5') wide, 508mm (20") diameter drum	1275.00
1.8m (6') wide, 508mm (20") diameter drum (not for ATV use)	1355.00
TERR-ATOR (Aerator/Slitter)	
1.6m working width, c/w transport wheels	2575.00
Ballast Weights (22.5kg) for above (max 5 per machine)	130.00
BASIC CHAIN HARROWS	
4ft wide Conventional dragged chain Harrow	440.00
6ft wide Conventional dragged chain Harrow	595.00
PRO HARROW	
2.0m Pro Harrow c/w manual raise lower	2075.00
SUPER HARROW	
2.0m Super Harrow c/w lifting actuator & control box	3315.00
As above plus c/w depth control	3365.00
SURFACE-PRO LEVELLER	
Surface-Pro 1.5m c/w lifting actuator & control box	4150.00
As above plus c/w perimeter plough	4300.00
PRO-GRADE SURFACE GRADER	
Pro-Grade 2.5m wide c/w perimeter plough and wheel track levelling kit	1730.00
As above plus with tine bar fitted	1975.00
Pro-Grade 2.5m wide c/w perimeter plough & WITHOUT wheel track levelling kit	1605.00
SWEEPER-COLLECTOR/HORSE MUCK COLLECTOR	
1.2m brushing width, 588 Ltr hopper, 5.5hp centrifugal clutch Honda engine, c/w remote throttle and geared winch for emptying	5315.00
As above with adjustable tine bar fitted	5615.00
Tine bar kit to fit MSP120W Sweeper (supplied to retrofit)	300.00
	5135.00
As above fitted with mesh floor	5360.00
SEED HARVESTERS	
Heather seed, wild flower and meadow grass seed collector - height range 0 - 21" with full offset drawbar, electric raise/lower and bagging off facility	P.O.A
Wild flower and meadow grass seed collector - height range 3" – 12", centre pull drawbar, manual raise/lower	P.O.A
	1.5m (5') wide, 508mm (20") diameter drum 1.8m (6') wide, 508mm (20") diameter drum (not for ATV use) TERR-ATOR (Aerator/Slitter) 1.6m working width, c/w transport wheels Ballast Weights (22.5kg) for above (max 5 per machine) BASIC CHAIN HARROWS 4ft wide Conventional dragged chain Harrow 6ft wide Conventional dragged chain Harrow PRO HARROW 2.0m Pro Harrow c/w manual raise lower SUPER HARROW 2.0m Super Harrow c/w lifting actuator & control box As above plus c/w depth control SURFACE-PRO LEVELLER Surface-Pro 1.5m c/w lifting actuator & control box As above plus c/w perimeter plough PRO-GRADE SURFACE GRADER Pro-Grade 2.5m wide c/w perimeter plough and wheel track levelling kit As above plus with tine bor fitted Pro-Grade 2.5m wide c/w perimeter plough & WITHOUT wheel track levelling kit SWEEPER-COLLECTOR/HORSE MUCK COLLECTOR 1.2m brushing width, 588 Lir hopper, 5.5hp centrifugal clutch Honda engine, c/w remote throttle and geared winch for emptying As above with adjustable tine bor fitted Tine bar kit to fit MSP120W Sweeper (supplied to retrofit) 1.2m brushing width, 588 Lir hopper, 5.5hp centrifugal clutch Honda engine, c/w remote throttle control and tipping rope As above fitted with mesh floor SEED HARVESTERS Heather seed, wild flower and meadow grass seed collector - height range 0 - 21" with full offset drawbar, electric raise/lower and bagging off fracility

CONTACT 2000 WEED WIPERS



Part No.		Price
	ALL INCLUSIVE SINGLE UNITS	
CTF250DSK	2.5m wide single trailed unit c/w 22 x 11 – 8 wheels, offset drawbar facility, chemical control system, CTF640S 60 Ltr tank and pump unit and CTF908 drawbar mounting kit	3965.0
CTF150DSK	1.5m wide single unit spec as above c/w 20 x 7 – 8 wheels.	3605.0
	GANG UNITS	
CTF500	5.0m wide two gang unit (2 x 2.5m units) complete with chemical control system	7435.0
CTF750	7.5m wide 3 gang unit (3 x 2.5m units) complete with chemical control system.	10835.0
	NOTE: For all gang units minimum pump requirement is 9 Ltr/min @ 3bar Working Pressure	
	INDIVIDUAL PRODUCT COMPONENTS	
CTF250	2.5m wide single unit c/w 22 x 11 - 8 wheels, offset drawbar facility, chemical control system	3480.0
CTF150	1.5m wide single unit c/w 20 x 7 – 8 wheels, offset drawbar facility, chemical control system	3105.0
	CHEMICAL SUPPLY SYSTEM	
	Suitable Logic On Board Sprayers CTF640S, OBS125, OBS640, OBS690, OBS134B, OBS135, OBS136, OBS640S, OBS690S, OBS134S, OBS135S. (See relevant page) For other makes/models of Sprayer, check with supplying dealer or Logic for confirmation of suitability.	
CTF640S	60 Ltr tank and pump unit for Contact 2000 (suitable for gang units, speak to Logic for details)	420.00
OBS620-02A	T Bolt and clamp kit to fit CTF640S to ATV rear carrier (pair)	40.00
CTF 908	Drawbar mounting bracket for 60 Ltr Sprayer	130.0
LBM 100	Logic Bout marker to suit above machine - ground driven from Contact 2000	775.0
	CTM TRACTOR MOUNTED MODELS	
CTM600W	6.0m wide (Hydraulic folding) 3 Point linkage unit with Hydraulic brush drive, 270 L integral tank and c/w chemical control unit and height control wheels	20185.00
CTM600	As above but without wheel kit for use in row crops	18185.00
LBM300	Logic Bout marker – driven from CTM600/W	775.00
CTM250TSK	2.5m wide single 3 Point linkage unit with Hydraulic brush drive c/w chemical control system and CTF640S 60 Ltr tank and pump unit mounted to 3 Point Linkage frame	5565.00
CTM250P	2.5m wide single unit for Hydraulic Power Arm mounting with Hydraulic brush drive c/w chemical control system. Requires CHEMICAL SUPPLY SYSTEM ask for details	4850.00
LBM200	Logic Bout marker to fit hydraulically driven machines - driven from Contact 2000	775.0

ON BOARD SPRAYERS/ ELECTRO BROADCASTERS



60 LTR TANK CAPACITY ON-BOARD SPRAYER RANGE	
60 Ltr capacity spot/boom Sprayer - c/w 9 Ltr/min recirculating pump, in line filter, drain plug, and filter basket (See options 1-8 &	480.00
60 Ltr capacity spot/boom sprayer - c/w 9 Ltr/min pump, full pressure control system agitation pressure gauge, in line filter, drain plug and filter basket. (See options 1-8 and 10-14 for all options)	740.00
Note: - all 60 Ltr sprayers require AE500/AE00L wiring harness - to fit any boom or hose reel option on the OBS60 range you will require option 10-hose reel/boom bracket	
135 LTR TANK CAPACITY ON-BOARD SPRAYER RANGE	
135 Ltr capacity spot/boom sprayer - c/w 9 Ltr/min recirculating pump, in line filter, drain plug and filter basket, ATV Wiring loom and Boom/hose reel bracket (See options 1-8, 11 & 14 for all options)	730.00
135 Ltr capacity spot/boom sprayer 9 Ltr/min pump c/w full pressure control system, agitation pressure gauge, in line filter, drain plug, filter basket, ATV wiring loom and Boom/Hose reel bracket. (See options 1-8, 11 & 14 for all options)	1020.00
135 Ltr capacity sprayer c/w 14.4l/min pump, control box with pump ON/OFF & spray/agitate functions (see options 1-9, 11& 14). Not suitable for ATV use	1330.00
	125.00
, ,	135.00
	215.00
7 1	30.00
1.5m (3 nozzle) boom c/w hedgerow nozzle	275.00
2.0m (4 nozzle) boom c/w hedgerow nozzle	295.00
3.0m (6 nozzle) boom c/w hedgerow nozzle	530.00
Single broadcast nozzle (XTO20) to give up to 4.8m coverage on one side. Ideal for spraying bank sides, between trees, paddocks etc. (Requires 9 Ltr/min pump)	180.00
4m (8 nozzle) boom c/w hedgerow nozzle (NOTE: Requires 14.4 ltr/min pump)	570.00
Boom/Hose reel bracket (suitable for OBS60 series)	58.00
Hose reel bracket to allow fitting of hose reel with twin legged boom	30.00
ATV Wiring Harness c/w ON/OFF switch	85.00
As above with longer cables for UTV and other vehicle use	95.00
	20.00
	300.00
	80.00
	80.00
	P.O.A
SPRAYING SAFETY KIT	
Also required, Coverall with hood, please order separately from below size options.	P.O.A
Coverall with hood, chemical resistant, for use with above safety kit,	P.O.A
PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL	
	60 Ltr capacity spot/boom Sprayer - c/w 9 Ltr/min recirculating pump, in line filter, drain plug, and filter basket (See options 1-8 & 10-14 for all options) 60 Ltr capacity spot/boom sprayer - c/w 9 Ltr/min pump, full pressure control system agitation pressure gauge, in line filter, drain plug and filter basket. (See options 1-8 and 10-14 for all options) Note: - all 60 Ltr sprayers require AE500/AE00L wiring harness - to fit any boom or hose reel option on the 08560 range you will require option 10-hose reel/boom bracket 135 Ltr capacity spot/boom sprayer - c/w 9 Ltr/min redraulating pump, in line filter, drain plug and filter basket, ATV Wiring loom and Boom/hose reel bracket (See options 1-8, 11 & 14 for all options) 135 Ltr capacity spot/boom sprayer 9 Ltr/min pump c/w full pressure control system, agitation pressure gauge, in line filter, drain plug, filter basket, ATV wiring loom and Boom/hose reel bracket. (See options 1-8, 11 & 14 for all options) 135 Ltr capacity spot/boom sprayer 9 Ltr/min pump c/w full pressure control system, agitation pressure gauge, in line filter, drain plug, filter basket, ATV wiring loom and Boom/hose reel bracket. (See options 1-8, 11 & 14 for all options) 135 Ltr capacity sprayer c/w 14.41/min pump, control box with pump 0N/OFF & spray/agitate functions (see options 1-9, 11& 14). Not suitable for ATV use OPTIONS Hand lance c/w 15m hose and wrap around bracket Hand lance c/w 15m hose and wrap around bracket Hase reel c/w 15m hose and wrap around bracket Hase reel c/w 15m hose and wrap around bracket Hase reel c/w 15m hose and wrap around bracket Hase reel c/w 15m hose and wrap around bracket Hase reel c/w 15m hose and hand lance 15m (a nozzle) boom c/w hedgerow nozzle 25m (6 nozzle) boom c/w hedgerow nozzle 3.0m (6 nozzle) boom c/w hedgerow nozzle (NOTE: Requires 9 Ltr/min pump) 4m (8 nozzle) boom c/w hedgerow nozzle (NOTE: Requires 14.4 ltr/min pump) 8nom/Hose reel bracket (suitable for 08560 series) Hase reel bracket to sub with longer cables for UTV and other v

ON BOARD SPRAYERS/ ELECTRO BROADCASTERS



		Price
	3 POINT LINKAGE MOUNTING FRAME	
TPL115	3 Point linkage mounting frame to allow use of On-Board Sprayers and Electro Broadcaster with compact tractors	365.00
	3 POINT LINKAGE SPRAYERS - 270 LTR	
TPS397SE	270 Ltr capacity sprayer c/w 14.4 ltr/min pump, control box with pump ON/OFF & spray/agitate functions (see options 1-9 & 11 on page 7)	2180.00
	DECK MOUNTED SPRAYERS - 270 LTR	
DMS390SE	270 Ltr capacity sprayer c/w 9.0 Ltr/min pump, control box with pump ON/OFF & spray/agitate functions (See options 1-8, 11 & 14 on page 7)	1865.00
DMS397SE	As above but with 14.41/min pump (see options 1-9, 11 & 14 on page 7)	1950.00
	SPRAYING SAFETY KIT	
ATV130	Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options.	P.O.A
	Coverall with hood, chemical resistant, for use with above safety kit,	P.O.A
	PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL	
	ELECTRO BROADCASTERS	
	STANDARD MOTOR MODELS – for ATV/UTV /mounting on implements/ general tractor use.	
	Spreads slug pellets at 12 – 24mtr. It is recommended and beneficial to keep to a 12m spread width with ATV/UTVs when applying slug pellets, this will allow you to drive at a higher speed with an open aperture to cover maximum acreage per hour. (For ATV use, EBC112 mounting frame is recommended - see below)	
EBC-TFS80	12 to 24m spread, 85 Ltr capacity, manual shut-off (requires AE500/AE500L wiring harness)	920.00
AE500	ATV Wiring Harness c/w ON/OFF switch	85.00
AE500L	As above with longer cables for UTV and other vehicle use	95.00
EBC-TFS80P	12 to 24m spread, 85 Ltr capacity, Power ON/OFF: Factory fitted kit includes Power Actuator, Control Box, 8m cable/plugs/sockets etc to enable remote control of feed and disc	1200.00
EBC-TFS80PS	As EBC-TFS80P with 'Synchro' Control box to give variable motor speeds of between 20% and 100% - ideal for mounting on implements and reducing spread width to desired width.	1535.00
	HIGH PERFORMANCE MOTOR MODELS with Turbo Drive feature for 24m + spreading of good quality slug pellets - not required or suitable for use with ATVs. Designed for UTV/self-propelled sprayer/large tractor/mounting on implements	
EBC-TFS120P	Will spread good quality slug pellets in excess of 24m, 85 Ltr capacity, Power ON/OFF: Factory fitted kit includes Power actuator, Control Box, 8m cable/plugs/sockets etc to enable remote control of feed and disc. For tractor and sprayer use (not recommended for ATV use)	1395.00
EBC-TFS120PL	As above but with 130 Ltr hopper	1505.00
EBC-TFS120PS	As EBC-TFS120P with 'Synchro' Control box to give variable motor speeds of between 20% and 100% with additional turbo drive switch - ideal for mounting on implements and reducing spread width to desired width as well as maximum width slug pelleting.	1820.00
EBC-TFS120PSL	As above but with 130 Ltr hopper	1920.00
	OPTIONS	
EBC112	Universal ATV mounting kit (to suit EBC Models)	140.00
EBC-TFSCK01	Calibration kit for EBC-TFS120 Powered models	110.00
EBC-TFSCK02	Calibration kit for EBC-TFS80 Powered models	80.00
EBC-TFSCK03	Calibration kit for EBC-TFS80 Manual models	70.00
	NOTE: FOR GAMEFEEDER VERSION OF ELECTRO BROADCASTER SEE PAGE 14	

SYSTEM 40 CHASSIS



Part No.	140 CHA5515	Price
I UIT NO.	SINGLE AXLE MODELS	1110
	With adjustable axle, raise/lower, control handle, 25 x 10 – 12 flotation wheels and:	
S40S11	- standard drive engine	3795.00
S40S13	- centrifugal clutch reverse drive engine	4475.00
3 100 10	Braked versions of single axle system 40 now available! Additional cost P.O.A. (Please specify brakes when ordering)	1 17 510
	TANDEM AXLE MODELS	
	With adjustable axle, raise/lower, control handle, 22 x 11 – 8 flotation wheels and:	
S40T11	- standard drive engine	4690.00
S40T13	- centrifugal clutch reverse drive engine	5365.0
	Options for System 40	
S401-22A	Additional implement adapting x members	80.08
S422	Equipment lifter, to enable easy lifting of equipment to and from System 40 chassis.	P.O.A
J 122	Experiment and the state out of the state of	
SYSTEN	1 40 EQUIPMENT	
	FERTILISER SPREADERS (TO FIT SYSTEM 40)	
S407	Vicon 503 Fertiliser spreader c/w fitting kit	P.O.A
	, , ,	
	SPRAYERS (TO FIT SYSTEM 40)	
S409	400 Ltr capacity Hardi c/w 10m self levelling boom, hose extension kit, control mounting bracket, clean water tank and protective	P.O.A
	clothing locker	
S410 S419	600 Ltr capacity Hardi as above but with 12m self levelling boom	P.O.A
	Boom adjusting bracket for Hardi S409/S410 tandem axle installation	P.O.A
	(Other sprayers and fitting kits available on request)	
	SYSTEM 40 FITTING KITS	
	SPRAYERS - kits including extension hoses/connectors/control mountings/ nuts, bolts/ installation instructions etc, available to adapt customers own sprayers. Please ask.	
	FERTILISER SPREADERS - kits including control adapters/ u bolts/ clamps/ nuts, bolts/installation instructions etc, to adapt customers own fertiliser spreaders. Please ask.	
	N.B. Protective dothing is essential when spraying.	
	SPRAYING SAFETY KIT	
ATV130	Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options.	P.O.A
	Coverall with hood, chemical resistant, for use with above safety kit	P.O.A
	PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL	

SYSTEM 20 for ATVs



	SUB CHASSIS	
S271	Suzuki LTF500 4wd Quadrunner (manual lift)	655.00
S285	Suzuki LTF400 Eiger (manual lift)	685.00
S292	Suzuki LTA450, 500, 700 and 750 King Quad (manual lift)	685.00
S294	Suzuki King Quad 400 2010 (manual lift)	670.00
S262	Yamaha YFB 250 Timberwolf 2wd (manual lift)	645.00
S265	Yamaha YFB 250 FW Timberwolf 4x4 (manual lift)	645.00
S252	Yamaha YFM 225 and 250 Moto 4* (manual lift)	650.00
S251	Yamaha YFM 400 Kodiak 4x4,YFM 350U 4x2/YFM 350 4x4 Big Bear (manual lift) (Not YFM 350 FWB 4x4)	645.00
S274	Yamaha YFM 350 FWB 4 x 4 (manual lift)	695.00
S253	Yamaha YFU-1 and YFU-1T Pro-hauler* (manual lift)	645.00
S276	Yamaha YFM400 FWA Kodiak Ultramatic (manual lift)	670.00
S268	Yamaha YFM 600 4x4 Grizzly (manual lift)	670.00
S280	Yamaha YFM 660 4x4 Grizzly (manual lift)	665.00
S282	Yamaha 400/450 FW 2003. BRUIN 350, Grizzly 350/450 IRS & Kodiak 450FWB/D (manual lift)	670.00
S293	Yamaha Grizzly 550/700 - Pre 2013 (manual lift)	665.00
S297	Yamaha Grizzly 550/700 - 2013 onwards (manual lift)	670.00
S299	Yamaha Kodiak 700 (winch model**)	610.00
S264	Honda TRX 300 2wd & 4wd FW93 models (manual lift)	645.00
S266	Honda TRX 400 4wd (manual lift)	645.00
S269	Honda TRX 450 S/ES 98/TRX450 S/ES 2001/2002 (manual lift)	645.00
S277	Honda TRX 350 S/ES (post Y2k models) - (manual lift)	675.00
S279	Honda TRX 500 (manual lift)	675.00
S286	Honda TRX 350FM S/ES 4x4 2004/TRX400AT 4x4 2004 (manual lift)	675.00
S288	Honda TRX 500 S 2005 - 2011 (manual lift)	675.00
S289	Honda TRX 420 2007 - 2013 (manual lift)	700.00
S295	Honda TRX 500 FM/FE 2012 (manual lift)	715.00
S296	Honda TRX 420/500/520 2014 onwards (manual lift)	725.00
SXXX	POLARIS MODELS, PLEASE ENQUIRE	P.O.A
S208	Kawasaki KLF 300 B1, B2, B3, B4* (manual lift)	605.00
S209	Kawasaki KLF 300 C1, C2 and C3 4x4* (manual lift)	605.00
S261	Kawasaki KLF 400B Water Cooled 4x4 (manual lift)	645.00
S272	Kawasaki KVF 400 (manual lift)	680.00
S275	Kawasaki KVF 300 (manual lift)	685.00
S281	Kawasaki KVF 360 (manual lift)	685.00
S298K1	Can Am Outlander 500/570/L 25" Tyres (manual lift)	700.00
S298K2	Can Am Outlander (as above for winch model**) - (winch model**)	610.00
S298K3	Can Am Outlander 500/570/L 26" Tyres (manual lift)	700.00
S298K4	Can Am Outlander (as above for winch model**) - (winch model**)	610.00
	(** Some ATVs are fitted with a winch as standard and where indicated, the ATV winch is used to raise/lower Snow Ploughs and Yard Scrapers. Not applicable to S215 Power brush options)	
5230	CF Moto C Force 450 and C Force 520	640.00
	OPTIONS FOR ABOVE	
S254	Electric lift conversion for manual lift System 20	865.00
<u></u>	N.B. All system 20 chassis are quick release from the ATV with the exception of those marked with an *	
	If your ATV model is not listed, please ask as we are adding new models on an on-going basis.	

SYSTEM 20 attachments for ATVs



To fit all ATV sub-chassis on the previous page	Price
POWER BRUSHES - 1.35m wide	
with 5.5hp Honda engine and manual lift	4075.00
as above with factory fitted adaptation to allow use with electric lift System 20	4260.00
SNOW PLOUGHS	
1.4m wide	665.00
1.5m wide professional c/w break back	930.00
YARDSCRAPER	
1.3m wide	655.00
	POWER BRUSHES - 1.35m wide with 5.5hp Honda engine and manual lift as above with factory fitted adaptation to allow use with electric lift System 20 SNOW PLOUGHS 1.4m wide 1.5m wide professional c/w break back YARDSCRAPER

	SUB CHASSIS	
UTS252K	Kawasaki Mule 610 4x4 and Mule SX 2017* (*note, no replacement bull bar available for this model)	1285.00
S258K	Kawasaki Mule 1000	1325.00
S259K	Kawasaki Mule 2010 & Mule 2510	1325.00
UTS250K	Kawasaki Mule 3010 & 3010D	1215.00
UTS251	Bull bar only for Kawasaki Mule 4010D (Allows transfer of chassis from Mule 3010/D for customers upgrading to Mule 4010D)	250.00
UTS251K	Kawasaki Mule 4010D (includes UTS251 replacement bull bar)	1415.00
UTS253K	Kawasaki Mule Pro DX/DTX 2016 (includes replacement bull bar)	1415.00
UTS254K	Kawasaki Mule Pro MX 2018	1310.00
UTS220K	John Deere HPX	1240.00
UTS221K	John Deere XUV 855D & HPX 815E 2017	1250.00
UTS222K	John Deere XUV 865M 2017	1255.00
UTS231K	Kubota RTV 900	1250.00
UTS232K	Kubota RTV 400	1245.00
UTS233K	Kubota RTV X 900 2014	1215.00
UTS234K	Kubota RTV X 1110 2019	1215.00
UTS240K	Clubcar Carryall	1215.00
UTS260K	Yamaha Rhino	1310.00
UTS270K	JCB Groundhog/Workmax 6x4 06	1185.00
UTS280K	JCB Groundhog/Workmax 4x4	1245.00
UTS281K	JCB Workmax 800D	1365.00
UTS290K	Kioti Mechron (includes replacement bull bar)	1410.00
UTS300K	Polaris Ranger 700/800 petrol & diesel	1235.00
UTS301K	Polaris Ranger 400/570/EV*	1355.00
UTS302K	Polaris Ranger 1000 Diesel 2015	1235.00
UTS303K	Polaris XP1000D 2019	1320.00
UTS304K	Polaris Ranger 570	1405.00
UTS400K	Honda Pioneer 700 2017 (includes replacement bull bar)	1370.00
UTS401K	Honda Pioneer 520*	1370.00
UTS500K	Can Am Traxter 2017	1210.00
	*Not available for use with UTS201 Snowplough, please use S228 plough only.	
UTS600K	Corvus Terrain DX4 Pro & Cab 2023 onwards	1300.00
	IF YOUR UTV MODEL IS NOT LISTED, PLEASE ASK AS WE ARE ADDING NEW MODELS ON AN ON-GOING BASIS.	
	POWER BRUSHES - 1.68m wide (Not for ATV use)	
UTS215HR	With 5.5hp Honda engine and to allow use with electric lift System 20. Functions include raise & lower and remote angling from straight across to left or right(actuator needs to be transferred to each side manually).	4950.00
	SNOW PLOUGHS	
S228	1.5m wide professional c/w break back	930.00
UTS201	1.8m wide professional c/w break back	1010.00
	YARDSCRAPER	
UTS210	1.7m wide	755.00

TRAILED SPRAYERS/SPREADERS



Part No.	See also System 40 section for other Low Ground Pressure (L.G.P) equipment	Price		
	TRAILED SPRAYERS - 270 LTR			
TS400S	Trailed sprayer, 270 Ltr capacity c/w 9.0 Ltr/min pump, c/w full pressure control system, agitation, pressure guage, inline filter, drain plug, filter basket and wiring with switch (without boom), fitted with 22 x 11 – 8 flotation wheels. (turf tyre option available) (See options 1-8 & 11 on page 7)	1845.00		
TS400SE	Trailed sprayer, 270 Ltr capacity c/w 9.0 Ltr/min pump, control box with pump ON/OFF & spray/agitate functions (without boom), fitted with 22 x 11 – 8 flotation wheels. (turf tyre option available) (See options 1-8 & 11 on page 7)			
TS497SE	As above but with 14.4 Ltr/min pump (see options 1-9 on page 7) Not suitable for ATV use	2220.00		
	DEAU MANNEED ADDAYEDA ATA LED			
DMS390SE	DECK MOUNTED SPRAYERS - 270 LTR 270 Ltr capacity sprayer c/w 9.0 Ltr/min pump, control box with pump ON/OFF & spray/agitate functions (See options 1-8, 11 & 14 on page 7)	1865.00		
DMS397SE	As above but with 14.4 Ltr/min pump (See options 1-8, 11 & 14 on page 7)	1950.00		
	400 /400 LTD TRAILED CREAVERS			
TCCOO	400/600 LTR TRAILED SPRAYERS	DO 4		
TS500 TS600	400 Ltr capacity c/w 10m self levelling boom 5hp engine and 22 x 11 – 8 wheels, clean water tank and protective clothing locker 600 Ltr capacity c/w 12m self levelling boom, 5hp engine and 25 x 10 – 12 wheels, clean water tank and protective clothing locker	P.O.A. P.O.A.		
13000	OPTIONS : Hand wash tank, self fill, hand lance, hose reel & bout marker	P.O.A.		
	OPTIONS. Hulla wash lank, sen ini, hana lance, nose reer & boot marker	r.u.a.		
	600 LTR TRAILED SPRAYERS			
TS660	600 Ltr capacity trailed sprayer c/w 6m self-levelling boom with break-back facility. Winch for easy boom height adjustment. Supplied with 25 Ltr/min engine diaphragm pump, remote electric spray/agitate and manual pressure regulation. 23 x 10.5 – 12 wheels. Supplied c/w 15 Ltr clean water tank			
TS680	As above but c/w 8m self-levelling boom with break-back facility			
TS625	'Boomless' version of above to give a spray width of 4.8m (1x nozzle) and up to 11m (2x nozzles)	4925.00		
	N.B. Protective clothing is essential when spraying.			
	SPRAYING SAFETY KIT			
ATV130	Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle).	P.O.A.		
	Also required, Coverall with hood, please order separately from below size options.			
	Coverall with hood, chemical resistant, for use with above safety kit,	P.O.A.		
	PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL			
	FERTILISER SPREADERS, GROUND DRIVE			
LDS120DS	Ground drive, 120 L, 115kg capacity (approx) c/w 16 x 6.50 – 8 wheels (includes lid)	P.O.A.		
LDS240	Ground drive, 240 L, 230kg capacity (approx) c/w 18 x 9.50 – 8 wheels (includes lid)	P.O.A.		
LDS240-02	Hopper extension to fit LDS240, to take total to 360 Ltr capacity	P.O.A.		
LDS380	Ground drive, 380 L, 365kg capacity (approx) c/w 18 x 9.50 – 8 wheels (excludes cover)	P.O.A.		
LDS387	Hopper cover for above LDS 380	P.O.A.		
	FEDTILICED CODEADEDS ENGINE DOWEN			
VC100	FERTILISER SPREADERS, ENGINE DRIVEN Vicon 303, 5cwt, complete on L.G.P chassis, with 5.5hp engine and 22 x 11 – 8 wheels	P.O.A.		
VC100	As above but without Vicon 303 (i.e. chassis, wheels and engine)	P.O.A.		
VC500	Vicon 503, 10cwt, complete on L.G.P chassis, ith 5.5hp engine and 25 x 10 – 12 wheels	P.O.A.		
VC502	As above but without Vicon 503 (i.e. chassis, wheels and engine)	P.O.A.		
VC500TA	Vicon 503 10cwt complete on L.G.P. chassis, wheels and engine, tandem axle and 4 off 22 x 11 – 8 wheels	P.O.A.		
VC502TA	As above but without Vicon 503 (i.e. chassis, wheels and engine)	P.O.A.		

SALT/DE-ICING SPREADERS



Part No.		Price		
	GDS150 SALT/SAND SPREADER Ground drive (270 L capacity)			
	Stainless steel hopper and peripheral components to give spread width of 1.5m - 12m @4 - 15mph*			
GDS150S	Universal spreader, ground drive, 270 L capacity hopper	7490.00		
GDS150R	As above plus fitted with mudguards, road wheels & tyres and lights	7965.00		
	OPTIONS			
GDS106	Optional flashing beacon for above (supplied fitted)	225.00		
GDS158	Tonneau Cover c/w Support	110.00		
GDS200-172A	Jack to assist hitching & unhitching	100.00		
PDS210	Disc shroud to reduce spread width for GDS/PDS trailed models	150.00		
	GDS250 SALT/SAND SPREADER Ground drive (465 L capacity)			
	Stainless steel hopper and peripheral components			
	STANDARD GEARBOX - to give spread width of 1.5m - 10m @5 - 15mph*			
GDS250S	Universal spreader, ground drive, 465 L capacity hopper	8550.00		
GDS250R	As above but fitted with mudguards, road wheels & tyres and lights	8980.00		
	HIGH SPEED GEARBOX - to give spread width of 3.0m — 14m @5 — 15mph*			
GDS251S	Universal spreader, ground drive, 465 L capacity hopper	8630.00		
GDS251R	As above but fitted with mudguards, road wheels & tyres and lights	9060.00		
	OPTIONS			
GDS106	Optional flashing beacon for above (supplied fitted)	225.00		
GDS108	Tonneau Cover c/w Support	150.00		
PDS210	Disc shroud to reduce spread width for GDS/PDS trailed models	150.00		
	PDS SALT/SAND SPREADER - Engine or hydraulically driven			
	PDS models feature dual disc speed to give spread widths of 3m - 14m* S/Steel hopper & peripheral componen	ıts		
PDS354D	De-mount model 585 L capacity hopper, Power Drive Spreader, 5.5hp engine	10175.00		
PDS354RB	Trailed model 585 L capacity, type approved to ECWVTA , high speed, Power Drive Spreader, 5.5hp engine. Fitted with suspension, overrun brakes, mudguards, lights & jockey wheel. C/W spare wheel & mounting bracket	12095.00		
PDS150D	De-mount model 270 L capacity with 3.5hp engine and dual disc speed to give 3-14m spread widths, control box, Stainless steel components, lashing/lifting points & rubber buffer feet.	8590.00		
PDS150T	3 point linkage 270 L capacity hopper, hydraulic drive to give 3 - 14m spread widths	7770.00		
PDS150F	Fork lift tine mounted models 270L for machines 1.5 – 3.5T (hydraulically driven)	7985.00		
PDS150F1	As above but for machines 3.5T Plus/Telehandlers	8120.00		
	OPTIONS			
PDS106	Optional flashing beacon for above (supplied fitted)	230.00		
PDS208	Tonneau Cover c/w support for PDS354D and PDS354RB models	160.00		
GDS158	Tonneau Cover c/w Support - to fit PDS150 models	110.00		
PDS210	Disc shroud to reduce spread width for GDS/PDS trailed models (also fits PDS150T & PDS150F models)	150.00		
PDS211	Disc shroud to reduce spread width for PDS150D and PDS354D Demount models	150.00		
	Coupling/hitch variations are available on trailed machines to order at extra cost. Please specify when ordering.			
	* Spread width quoted is based on dry rock salt, spread width may vary according to moisture content and material type.			
	DRY SALT SPREADER (120 L capacity)			
LDS120DS	Salt spreader, ground drive 120L capacity, for use with DRY BAGGED SALT only	P.O.A		
LDS210	Disc shroud to reduce spread width for LDS120DS	P.O.A		
	12v DE - ICING SPREADERS			
EBC-TSS85PP	85 Ltr capacity spreader, 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Frame allows fitment to flat or vertical surfaces Supplied with control box and power cables.	1350.00		
EBC-TSS85PPL	As above - fitted to 3 Point Linkage mounting frame	1710.00		
EBC-TSS130PP	130 Ltr capacity spreader, 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Frame allows fitment to flat or vertical surfaces Supplied with control box and power cables	1490.00		
EBC-TSS130PPL	As above - fitted to 3 Point Linkage mounting frame	1850.00		
EBC-TSS300PP	300 Ltr capacity, De-mount spreader, suitable for UTVs, pick ups and flat beds stainless steel hopper. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables.	2715.00		

FEEDERS



D . H		
Part No.	TRAILED FEEDERS	Price
LMFF70V	MULTI-FEEDER ALL INCLUSIVE UNITS - 356 L capacity Multi-Feeder c/w tonneau cover (LMF101), livestock fender (LMF102), mudguards (LMF103), re-settable counter & 22 x 11 - 8	0/05.00
LMF570K	wheels/tyres.	2685.00
LMF870K	As above but with larger 25 x 10 -12 wheels/tyres	2940.00
1115450	BASE UNITS AND OPTIONS	0005.00
LMF450	Multi-Feeder, 356 L capacity, 22 x 11 - 8 Kenda Tyres. No counter	2305.00
LMF570	Multi-Feeder, 356 L capacity, 22 x 11 - 8 Carlisle Tyres and re-settable drop counter.	2360.00
LMF870	Multi-Feeder, 356 L capacity, 25 x 10 – 12 Carlisle Tyres and re-settable drop counter	2590.00
LMF570TA	Multi-Feeder, 356 L capacity, tandem axle, re-settable drop counter (NOTE: All Multi-Feeder control boxes are supplied with cable lengths long enough for a range of different vehicle installations (ATVs, UTVs, Tractors, 4x4s etc.)	3760.00
	OPTIONS	
LMF101	1. Tonneau Cover c/w support	73.00
LMF112	2. Hard top Bale rack - 356 L model only	375.00
LMF102	3. Livestock Fender**	83.00
LMF103	4. Mudguards, galvanised c/w mounting brackets**	158.00
LMF118	4b. Mudguard support brackets to go with above for off road use	50.00
LMF108	5. Hopper extension increases capacity to 625 L (LMF & LCF) 610 L (LGF) (Recommended with LMF870, LMF570TA or LCF160)	410.00
LMF109	6. Tonneau Cover c/w support for LMF108 hopper extension	90.00
LMF207	7. Additional/replacement control box with counter for LMF models	315.00
	(** not for LMF570TA)	
	CHICK FEEDER	
LCF160	Feed dispenser, 356 L capacity, c/w paper holder, 165 x 13 wheels & control box	2365.00
	OPTIONS: See Multi-Feeder options 1, 5 & 6 above	
	GAME FEEDERS OPTION	
LGF850K	Game feeder, 340 L capacity, c/w control box, tonneau cover (LMF101), mudguards (LMF103), mudguard support brackets (LMF118), control box & 25 x 10 -12 wheels and tyres	
EBC-TSS300PHT	300 L capacity, Trailed broadcaster Game Feeder with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. c/w 22 x 11 – 8 Flotation wheels (see options on next page)	3400.00
145101	OPTIONS	70.00
LMF101 EBC-TS302	Tonneau Cover c/w support Mudguard kit c/w brackets for EBC-TSS300 PHT	73.00 170.00
EBC-TS102	Precision metering system for EBC-TS models to allow accurate spreading of low rates of seed and fertiliser. With this metering system fitted the machines are capable of spreading free flowing de-icing products	P.O.A.
	MOUNTED FEEDERS	
	GAME FEEDERS	
	(For ATV use, EBC112 mounting frame is recommended - see below)	
EBC-TSS85	85 L capacity Broadcaster Game Feeder (manual shut off) with geared motor giving narrower spread width for feeding through rides/woods etc. (Requires AE500 wiring harness)	1100.00
AE500	ATV Wiring Harness c/w ON/OFF switch	85.00
AE500L	As above with longer cables for UTV and other vehicle use	95.00
EBC 112	ATV mounting kit to fit EBC-TSS85/PH Game Feeder	140.00
EBC-TSS85PH	85 L capacity Broadcaster Game Feeder (powered shut off) with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables.	1400.00
EBC 112	ATV mounting kit to fit EBC-TSS85/PH Game Feeder	140.00
EBC-TSS130PH	As above but with 130 L capacity hopper (Not recommended for ATV use)	1480.00
EBC-TSS300PH	300 L capacity, De-mount broadcaster Game Feeder (powered shut off) with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. OPTIONS	2715.00
LMF 101	Tonneau Cover c/w support (300 L Model)	73.00
EBC-TS102	Precision metering system for EBC-TS models to allow accurate spreading of low rates of seed and fertiliser. With this metering system fitted the machines are capable of spreading free flowing de-icing products.	P.O.A.

BOWSERS



Part No.		Price
	LIQUID BOWSERS - 270 LITRE CAPACITY	
DMB300	BOWSER SKID UNIT - Suitable for mounting in a trailer or pick-up etc. 270 Ltr plastic tank. 1.8m flexible outlet pipe 2" diameter c/w 1/4 turn ON/OFF tap Top filling with ventilated cap.	895.00
TPB300	3 POINT LINKAGE BOWSER - 270 Ltr plastic tank. 1.8m flexible outlet pipe, 2" diameter complete with 1/4 turn ON/OFF tap	
SLB400	TRAILED BOWSER - Trailed chassis, c/w swivel 50mm ball hitch LGP tyres (22 x 11 – 8) Top filling with ventilated cap. 270 Ltr plastic tank 1.8m flexible outlet pipe 2" diameter complete with 1/4 turn ON/OFF tap.	1215.00
	LIQUID BOWSERS - 600 CAPACITY	
SLB620	TRAILED BOWSER - 600 Ltr, gravity fed, 3.5m outlet hose with tap, 23 x 10.5 – 12 wheels	2625.00
SLB620H	TRAILED BOWSER - 600 Ltr c/w 2" Honda pump (max output up to approx 400 Ltr/min) 3.5m outlet hose, 23 x 10.5-12 wheels	3340.00
SLB620HM	TRAILED BOWSER - 600 Ltr c/w 2" Honda pump +manege watering kit & 23 x 10.5 – 12 wheels	3725.00
SLB620-20A	SUCTION HOSE - SELF FILL - 2" x 5m for use with engined bowsers	140.00
	HANGING BASKET WATERING SYSTEM - 600 LITRE CAPACITY	
SLB610HB	HANGING BASKET WATERING SYSTEM - 600 Ltr trailed unit c/w 1" Honda Pump, manual hose reel +15m 1/2" hose, telescopic lance and 23 x 10.5 – 12 wheels.	3465.00
SLB610-20A	SUCTION HOSE - SELF FILL - 1" x 5m for use with above	60.00
FORESTI	RY EQUIPMENT	
	TIMBER TRAILERS	
THT400	TIMBER TRAILER tandem axle, 22 x 11 – 8 flotation wheels	3180.00
THT200	TIMBER HAULER, c/w hand winch and 22 x 11 – 8 flotation wheels	2160.00
	POLE BOGIE	
PB800	Pole Bogie for carrying telegraph poles or similar 25 x 10 – 12 flotation wheels (This product is made to order, please ring for delivery timescale)	P.O.A.

ACCESSORIES



Part No.		Price
	WEATHER PROTECTION/DRIVER COMFORT	
	LOGIC WINDSCREENS	
	LOGIC WINDSCREENS FEATURE A COLOUR CODED FAIRING AND ARE C/W ALL FIXINGS	
ATV074	LOGIC WINDSCREEN - Universal, Black	265.00
ATV076	LOGIC WINDSCREEN - Honda TRX 450 Red	270.00
ATV077	LOGIC WINDSCREEN - Honda 350, 420, 500/Foreman Red	270.00
ATVXXX	LOGIC WINDSCREEN - Honda TRX 300 with speed/hr meter - Red (ATV077 & ATV069 kit)	295.00
ATVXXX	LOGIC WINDSCREEN - Honda TRX250 Red (ATV077 & ATV079 kit)	295.00
ATV270	LOGIC WINDSCREEN - Honda TRX420 2015	270.00
ATV271	LOGIC WINDSCREEN - Honda TRX500 IRS 2015	270.00
	HANDLEBAR MUFFS/GRIPS	
ATV119	HANDLEBAR MUFFS (Black) (Thermal lined)	32.00
ATV049L2	HEATED HANDLEBAR GRIPS	56.00
ATV118	HEATED GRIPS WITH THUMB WARMER	104.00
	PROTECTIVE HELMETS/CLOTHING	
	LOGIC ATV SAFETY HELMET C/W VISOR	
AT1/000	(Meets the requirements for ATV general workplace use as per HSE information sheet AIS 33)	50.00
ATVO32	Size range 54 - 57 (supplied with 2x sets of pads to cover size range)	50.00
ATV000 1001	Size range 58 - 62 (supplied with 2x sets of pads to cover size range)	50.00
ATV032-1001	Replacement visor for Logic ATV Helmet (ATV032/ATV033) supplied c/w mounting screws	10.00
	SPRAYING SAFETY KIT	
ATV130	Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options.	P.O.A
	Coverall with hood, chemical resistant, for use with above safety kit	P.O.A
	PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL	
	SECURITY	
ATV114	SECURITY CHAIN AND LOCK, Thatcham™ approved heavy duty 2m chain with 12mm forged links and 11mm recessed hasp padlock. Supplied with 3x keys	85.00
ATV115	GROUND ANCHOR WITH SWIVEL EYE. Sold Secure Gold™ approved	75.00
ATV116	GROUND ANCHOR, double layered hardened steel. Sold Secure Gold™ approved	55.00
	PUNCTURE REPAIR KIT	
ATV111	TUBELESS TYRE REPAIR KIT c/w instructions, rasp, needle, glue solution and 40 repair inserts	P.O.A
	AUXILLARY WIRING HARNESSES	
AE500	ATV Wiring Harness supplied c/w switch, switch housing, in-line fuse, waterproof 2-pin socket and mounting hardware.	85.00
AE500L	As above with longer cables for UTV and other vehicle use	95.00

ACCESSORIES



SPARE WHEELS, TYRES & RIMS FOR LOGIC PRODUCTS OFF ROAD 165 x 8 tyre & rim 22 x 11 - 8 Flotation tyre & rim (P323 pattern)	55.00
165 x 8 tyre & rim 22 x 11 – 8 Flotation tyre & rim (P323 pattern)	55.00
22 x 11 – 8 Flotation tyre & rim (P323 pattern)	55.00
	20.00
	90.00
22 x 11 – 8 Flotation tyre (P323 pattern)	50.00
22 x 11 - 8 Flotation tyres & rim (P322 pattern)	93.00
, , , ,	53.00
	120.00
, , ,	80.00
	140.00
	100.00
	40.00
	240.00
	240.00
, , ,	240.00
	140.00
, , , ,	140.00
	240.00
	110.00
	90.00
·	120.00
	175.00
	50.00
	55.00
, , ,	70.00
	90.00
	445.00
, , , , , , , , , , , , , , , , , , ,	425.00
Weld on axle mounting channel kit (2x) c/w nuts and bolts – for 35mm axles	22.00
Alko full axle un-braked 750kg gross weight capacity 1720mm wide	295.00
Suspension units 750 kg (pair)	295.00
Coupling, 50mm, pressed steel	25.00
Coupling, 50mm, cast iron heavy duty	60.00
Coupling, 50mm (for swivel hitches)	25.00
Coupling, 50mm, swivel hitch, weld on	77.00
Coupling, 50mm, swivel hitch, bolt on. Fits CT/OCT, RT/ORT, DST Trailers	100.00
Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers	100.00
Locking coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers	200.00
Coupling, 50mm, swivel hitch, bolt on. Fits SXT trailers	100.00
Clevis hitch to suit Logic accessories with swivel hitch	45.00
MUDGUARDS	
Mudguard LH, galvanised, 290mm wide, c/w bolts and reflective triangles (ea)	50.00
Mudguard RH, galvanised, 290mm wide, c/w bolts and reflective triangles (ea)	50.00
	22 x 11 - 8 Flotation tyre (P322 pattern) 22 x 11 - 8 Flotation tyre & rim (Carlisle) 22 x 11 - 8 Turf tyre & rim (Carlisle) 22 x 11 - 8 Turf tyre & rim (Carlisle) 22 x 11 - 8 Turf tyre & rim (Carlisle) 22 x 11 - 8 Turf tyre & rim (Carlisle) 8.5" x 8" rim 4 stud 100 PCD 25 x 10 - 12 Flotation tyre & rim (Carlisle) 25 x 10 - 12 Flotation tyre & rim (Wanda) 25 x 10 - 12 Flotation tyre & extra offset rim (Carlisle) 25 x 10 - 12 Flotation tyre (Carlisle) 25 x 10 - 12 Flotation tyre (Carlisle) 25 x 10 - 12 Flotation tyre (Wanda) 23 x 10.5 - 12 Flotation tyre & rim (Carlisle) ON ROAD 20.5 x 8 - 10 tyre & rim 165 x 13 tyre & rim 195 x 70 - R14 tyre & rim 195 x 70 - R14 tyre & rim SUSPENSION UNITS/STUB AXLES/TOW BOXES ETC Stub axle 35mm square-weld on, standard (each) Stub axle 40mm square - drilled (each) Stub axle 40mm square - drilled (each) Stub axle 40mm square weld on, standard (each) Stub axle 40mm square weld on standard (each) Stub axle 40mm square weld on till (each) Stub axle 40mm square weld on standard (each) Stub axle 50mm, square weld on standard (each) Stub axle 50mm, square weld on standard (each) Stub axle 50mm, square weld each) Stub axle 50mm, square weld each) Stub axle 50mm, square weld each) Stub axle 50mm, pressed steel Coupling, 50mm, pressed steel Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and xRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and xRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits XT and xRT trailers Coupling, 50mm, swivel hitch, bolt on. Fits SXT trailers Clevis hitch to suit Logic axcessories with swivel hitch

ACCESSORIES



Part No.		Price
	TOW BARS AND CARRIERS	
YTB125	H/D tow bar to fit Yamaha Breeze, c/w 50mm tow ball	120.00
YTB350	H/D tow bar to fit Yamaha YFM 400 Kodiak 4x4,YFM 350U 4x2/YFM 350 4x4 Big Bear c/w 50mm tow ball (Not YFM 350 FWB 4x4, see YTB351)	120.00
YTB351	Heavy duty tow bar to fit YFM 350 FWB Big Bear 5 speed c/w 50mm tow ball	115.00
YTB600	Heavy duty tow bar to fit YFM 600 FWA Grizzly, c/w 50mm tow ball	115.00
4T1005	REPLACEMENT SEAT COVERS	
ATV085	Honda TRX 250	P.O.A
ATVO80	Honda TRX 350	P.O.A
ATV081	Honda TRX 300 2/4wd	P.O.A
ATV082	Honda TRX 400 Foreman	P.O.A
ATV083	Honda TRX 450 S/ES	P.O.A
ATV084	Honda TRX 350 S/ES (post Y2k models)	P.O.A
ATV093	Honda TRX 420	P.O.A
ATV092	Honda TRX 500 FE, FM, FA (post 2003)	P.O.A
ATV105	Honda TRX 500 FM/FE 2012	P.O.A
ATV086	Yamaha Timberwolf 2/4wd	P.O.A
ATV087	Yamaha Big Bear & Kodiak	P.O.A
ATV088	Yamaha YFM 400 FWA Kodiak Ultramatic	P.O.A
ATV095	Yamaha 450 Grizzly	P.O.A
ATV089	Yamaha YFM 600 FWA Grizzly	P.O.A
ATV090	Yamaha YFM 660 FWA Grizzly	P.O.A
ATV091	Suzuki LT250 & King Quad	P.O.A
ATV094	Suzuki LTA450 and 700 King Quad	P.O.A
ATV096	Kawasaki KLF300 & 400 4wd	P.O.A
ATV097	Kawasaki KLF300 2wd	P.O.A
ATV098	Kawasaki KLF220	P.O.A
	A Re-foaming/Recovering Service is available for ALL ATV seats - Price range from £60.00 to £120.00 Please return seat to Logic and allow up to 28 days for this facility. (Price dependent on condition)	

Logic Price List 08/11/2024

ACCESSORIES



Part No.		Price
	KOLPIN ACCESSORIES	
	GUN BOOT CASES	
KOL20025	Gun Boot 6.0 Impact (requires mounting bracket from below section)	P.O.A.
	GUN BOOT BRACKETS	
K0L20032	Gun Boot 6.0 Loop Bracket	P.O.A.
	GUN/RATCHET GRIPS	
KOL21540	Ratchet Grips (pair)	P.O.A.
KOL21510	ATV Rhino Grip XL (pair)	P.O.A.
KOL21535	UTV Rhino Grip XL (pair)	P.O.A.
1/01/000/14	SAW PRESS BRACKETS	
KOL20044	Universal fit sawpress II for ATVs & UTVs	P.O.A.
KOL200429	Pickup Beds	P.O.A.
	TOOL PRESS BRACKETS	
K0L200458	Front/Rear Composite Racks	P.O.A.
KOL200459	Pickup Beds	P.O.A.
	ATV HARD GOODS	
KOL93101	Front/Rear Gear Box	P.O.A.
KOL93201	Contoured Cargo Box	P.O.A.
	ATV COVER	
KOL95104	XXL Black	P.O.A.
KUL7JIU4	AL Duck	1.U.A.
	ATV SEAT COVER - UNIVERSAL FIT	
KOL93640	Mossy Oak Breakup™	P.O.A.
	GEARTECTOR ATV LUGGAGE	
KOL92145	Tank Bag - (Black), petrol tank or carrying rack mountable	P.O.A.
KOL93540	Front/Rear Luggage - Mossy Oak Breakup TM	P.O.A.
KOL93510	Cargo Bag - Mossy Oak Breakup™	P.O.A.
	HTV ACCTOCODITO	
KOL21535	UTV ACCESSORIES	P.O.A.
KOL21535	UTV Rhino Grip XL (pair)	
	UTV Gun Rack	P.O.A.
KOL20074	UTV Gun Rack Riser. To fit above to UTVs with centre hump.	P.O.A.
KOL53200	UTV Basket c/w mounting hardware	P.O.A.

The Koplin range is currently causing problems with supply and stable pricing. Please enquire to Logic about these products at the time of interest.



NOTES



NOTES



An interesting quotation

Value...

It's unwise to pay too much, but it's unwise to pay too little. When you pay too much you lose a little money, that is all.

When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing you bought it to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it's well to add something for the risk you run.

And if you do that, you will have enough to pay for something better.

John Ruskin (1819-1900)